

[illegible]

BFRC Rating	WER	U-Value	External Pane	Internal Pane	Spacer	Gas	Simulation Number	BFRC Licence Number	All upvc Doors	Tilt & Turns
Standard Casement - 28mm Unit									U-VALUE ONLY	
A+	11	1.3	Optiwhite	Pilkington KS	Thermobar	Argon	W2611 rev b	4439	1.4	1.4
A	7	1.3	Float	Pilkington KS	Thermobar	Argon	W2612 rev a	3067		
A	1	1.3	6.8 Lam ExtraClear	Pilkington KS	Thermobar	Argon	W1781 rev b	3067		
A	0	1.3	6.8 Acoustic Lam	Pilkington KS	Thermobar	Argon	W2731 rev a	3068		
A	0	1.5	Optiwhite	Pilkington KS	Aluminium	Argon	W2718 rev a	3067		
B	-4	1.5	Float	Pilkington KS	Aluminium	Argon	W2614 rev a	3068	1.5	1.6
B	0	1.3	6.4 Lam (not low iron)	Pilkington KS	Thermobar	Argon	W2727 rev a	3068		
B	-4	1.5	Float	Pilkington KS	Thermobar	Air	W1479 rev c	3068		
B	-1	1.5	Optiwhite	Pilkinton KS	Thermobar	Air	W2994	3068		
no rating	n/a	1.6	Float	Pilkington KS	Aluminium	Air	W2613	n/a		
no rating	n/a	1.48	6.8 Lam ExtraClear	Pilkington KS	Aluminium	Argon	W1784	n/a		
no rating	n/a	1.49	6.4 Lam (not low iron)	Pilkington KS	Aluminium	Argon	W2719	n/a		

Triple Glazed Standard Casement - 38mm Unit

BFRC Rating	WER	U-Value	External pane	Middle Pane	Internal Pane	Spacer	Gas	Simulation Number	BFRC Licence Number	Doors & T/T
A++	23	0.94	Optiwhite	KS	KS	Thermobar	Argon	W2924	4940	U-VALUE
A+	19	0.94	Float	KS	KS	Thermobar	Argon	W2929	4439	1.1
A+	11	0.98	6.8 Lam ExtraClear	KS	KS	Thermobar	Argon	W2928	4439	1.1
A	7	1.2	Float	Float	KS	Thermobar	Argon	W4042	3067	
A	4	1.2	Float	KS	KS	Aluminium	Argon	W2926	3067	
B	-6	1.4	Float	Float	KS	Aluminium	Argon	W2927	3068	

Triple Glazed Standard Casement - 28mm Unit

[illegible]

Resurgence Flush Sash - 28mm Unit								
							2500	

BFRC Rating	WER	U-Value	External Pane	Internal Pane	Spacer	Gas	Simulation Number	BFRC Licence Number
A	0.11	1.26	Optiwhite	Pilkington KS	Thermobar	Argon	W3391	6174
B	-3.41	1.26	Float	Pilkington KS	Thermobar	Argon	W3390	6175
B	-9.26	1.26	6.8 Lam ExtraClear	Pilkington KS	Thermobar	Argon	W3398	6175
B	-9.26	1.26	6.8 Acoustic Lam	Pilkington KS	Thermobar	Argon	W3865	6175

Resurgence Flush Sash Triple Glazed - 38mm Unit								

BFRC Rating	WER	U-Value	External pane	Middle Pane	Internal Pane	Spacer	Gas	Simulation Number	BFRC Licence Number
A	8.46	0.96	Optiwhite	KS	KS	Thermobar	Argon	W3403	6174
A	6.12	0.96	Float	Pilkington KS	Pilkington KS	Thermobar	Argon	W3396	6174
B	-7.58	1.15	Float	Pilkington KS	Pilkington KS	Aluminium	Argon	W3397	6175
B	-1.31	0.99	6.8 Lam ExtraClear	Pilkington KS	Pilkington KS	Thermobar	Argon	W3395	6175

PLEASE NOTE: Only highly insulated NEW BUILD dwellings can have a u-value between 1.4 and 1.6

[illegible][illegible]